





# Taper Keilrippenscheiben / Taper Poly-V Pulleys


Typ 1




Typ 4




Typ 6A





Typ 6B



Typ 7



Typ 9



Poly-V-Keilrippenscheiben Profil J			
DIN 7867			
Rillen/grooves	8	12	16
F +/- 0,1	23	32,5	42
P	3,31	3,38	3,45

Poly-V-Keilrippenscheiben Profil L			
DIN 7867			
Rillen/grooves	8	12	16
F +/- 0,1	48	67	86
P	7,55	7,65	7,75

Profil	H	J	K	L	M
e	1,60	2,34	3,56	4,70	9,40
f min	1,30	1,80	2,50	3,30	6,40
t min	1,33	2,08	3,45	4,98	9,96
Dw / Da = minus	1,60	2,50	3,20	7,00	10,00



# Taper Keilrippenscheiben

## Taper Poly-V Pulleys

Profil PJ						Profil PL					Profil PJ						Profil PL				
DA	Ri.	Bu.	Typ	L	M	Bu.	Typ	L	M	N	DA	Ri.	Bu.	Typ	L	M	Bu.	Typ	L	M	N
∅	gro.										∅	gro.									
40	8	12	6 B	32,0							112	8	1610	1	25,0	4,0	1610	4	25,0	23,0	
	12	12	6 B	41,5								12	1610	4	25,0	7,5	2012	4	32,0	35,0	
	16	12	6 B	51,0								16	1610	4	25,0	17,0	2012	7	32,0	27,0	27,0
45	8	12	6 B	32,0							118	8	1610	1	25,0	4,0	2012	4	32,0	16,0	
	12	12	6 B	41,5								12	2012	4	32,0	0,5	2517	7	45,0	11,0	11,0
	16	12	6 B	51,0								16	2012	4	32,0	10,0	2517	7	45,0	20,5	20,5
50	8	12	6 B	32,0							125	8	1610	1	25,0	2,0	2012	4	32,0	16,0	
	8	1008	6 A	23,0								12	2012	4	32,0	0,5	2517	7	45,0	11,0	11,0
	12	12	6 B	41,5								16	2012	4	32,0	10,0	2517	7	45,0	20,5	20,5
	16	12	6 B	51,0							132	8	1610	1	25,0	2,0	2012	4	32,0	16,0	
56	8	12	6 B	32,0								12	2012	4	32,0	0,5	2517	7	45,0	11,0	11,0
	8	1108	6 A	23,0								16	2012	4	32,0	10,0	2517	7	45,0	20,5	20,5
	12	12	6 B	41,5							140	8	1610	1	25,0	2,0	2517	4	45,0	3,0	
	12	1108	4	23,0								12	2517	1	45,0	12,5	2517	7	45,0	11,0	11,0
	16	12	6 B	51,0								16	2517	1	45,0	3,0	2517	7	45,0	20,5	20,5
63	8	1108	6 A	22,0							150	8	1610	1	25,0	2,0	2517	4	45,0	3,0	
	12	1108	4	23,0	9,5							12	2012	4	32,0	0,5	2517	7	45,0	11,0	11,0
	16	12	6 B	51,0								16	2517	1	45,0	3,0	2517	7	45,0	20,5	20,5
71	8	1108	6 A	22,0							160	8	2012	9	32,0	4,5	2517	4	45,0	33,0	
	12	1108	4	23,0	9,5							12	2517	1	45,0	12,5	2517	7	45,0	11,0	11,0
	16	1215	6 A	38,0								16	2517	1	45,0	3,0	3020	7	51,0	17,5	17,5
75	8	1108	6 A	23,0		1210	4	25,0	23,0		170	8					2517	4	45,0	3,0	
	12	1610	4	25,0	7,5	1215	4	38,0	29,0			12					2517	7	45,0	11,0	11,0
	16	1210	4	25,0	17,0							16					3020	7	51,0	17,5	17,5
80	8	1610	1	25,0	4,0	1210	4	25,0	23,0		180	8	2012	9	32,0	4,5	2517	7	45,0	1,5	1,5
	12	1610	4	25,0	7,5	1215	4	38,0	29,0			12	2517	9	45,0	6,3	2517	7	45,0	11,0	11,0
	16	1610	4	25,0	17,0							16	2517	9	45,0	1,5	3020	7	51,0	17,5	17,5
85	8	1610	1	25,0	4,0	1210	4	25,0	23,0		200	8	2012	9	32,0	4,5	2517	7	45,0	1,5	1,5
	12	1610	4	25,0	7,5	1215	4	38,0	29,0			12	2517	9	45,0	6,3	3020	7	51,0	8,0	8,0
	16	1610	4	25,0	17,0	1215	7	38,0	24,0	24,0		16	2517	9	45,0	1,5	3020	7	51,0	17,5	17,5
90	8	1610	1	25,0	4,0	1610	4	25,0	23,0		224	8	2012	9	32,0	4,5	2517	7	45,0	1,5	1,4
	12	1610	4	25,0	7,5	1615	4	38,0	29,0			12	2517	9	45,0	6,3	3020	7	51,0	8,0	8,0
	16	1610	4	25,0	17,0	1615	7	38,0	24,0	24,0		16	2517	9	45,0	1,5	3020	7	51,0	17,5	17,5
95	8	1610	1	25,0	4,0	1610	4	25,0	23,0		250	8	2012	9	32,0	4,5	3020	9	51,0	1,5	1,5
	12	1610	4	25,0	7,5	1615	4	38,0	29,0			12	2517	9	45,0	6,3	3020	9	51,0	8,0	8,0
	16	1610	4	25,0	17,0	1615	7	38,0	24,0	24,0		16	2517	9	45,0	1,5	3535	7	89,0	1,5	1,5
100	8	1610	1	25,0	4,0	1610	4	25,0	23,0		280	8					3020	9	51,0	1,5	1,5
	12	1610	4	25,0	7,5	2012	4	32,0	35,0			12					3020	7	51,0	8,0	8,0
	16	1610	4	25,0	17,0	2012	7	32,0	27,0	27,0		16					3535	9	89,0	1,5	24,0
106	8	1610	1	25,0	4,0	1610	4	25,0	23,0		315	8					3020	9	51,0	2,0	2,0
	12	1610	4	25,0	7,5	2012	4	32,0	35,0			12					3535	9	89,0	11,0	11,0
	16	1610	4	25,0	17,0	2012	7	32,0	27,0	27,0		16					3535	9	89,0	1,5	1,5